




























PRODUCT SPECIFICATIONS

Trex Decking & Fascia


PROFILE	DESCRIPTION	ITEM #	COLORS	
1" Square-Edge Board <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	 1 x 6 x 16' 1 x 6 x 20' Transcend Lineage	XX010616TLS01 XX010620TLS01	RN, CL, BC, JA	
	 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' Transcend Tropicals	XX010612TS01 XX010616TS01 XX010620TS01	IM, TT, HG, SR, LR	
	 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' Transcend Earth Tones	XX010612TS01 XX010616TS01 XX010620TS01	GP, RS, VL	
	 7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20' Select	XX010612SS01 XX010616SS01 XX010620SS01	PG, WG, SD, WB, MB	
	 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' Enhance Naturals	XX010612ES01 XX010616ES01 XX010620ES01	FW, RH, TS, CB	
	 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' Enhance Basics	XX010612ES01 XX010616ES01 XX010620ES01	CS, BD, SD	
	1" Grooved-Edge Board <i>Actual dimensions:</i> Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm) Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' Transcend Lineage	XX010612TLG01 XX010616TLG01 XX010620TLG01	RN, CL, BC, JA
		 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' Transcend Tropicals	XX010612TG01 XX010616TG01 XX010620TG01	IM, TT, HG, SR, LR
		 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' Transcend Earth Tones	XX010612T2G01 XX010616T2G01 XX010620T2G01	GP, RS, VL
		 7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20' Select	XX010612SG01 XX010616SG01 XX010620SG01	PG, WG, SD, WB, MB
		 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' Enhance Naturals	XX010612E2G01 XX010616E2G01 XX010620E2G01	FW, RH, TS, CB
		 1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20' Enhance Basics	XX010612E2G01 XX010616E2G01 XX010620E2G01	CS, BD, SD
1" x 8" Fascia Board <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)		 1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12' Transcend Lineage	XX010812TLS01 XX010812TS01 XX010812TS01	RN, CL, BC, JA IM, TT, HG, SR, LR GP, RS, VL
		 1 x 8 x 12' Transcend Tropicals	XX010812TS01	IM, TT, HG, SR, LR
		 1 x 8 x 12' Transcend Earth Tones	XX010812TS01	GP, RS, VL
		 1 x 8 x 12' Select	XX010812SS01	PG, WG, SD, WB, MB
		 1 x 8 x 12' Enhance Naturals	XX010812ES01	FW, RH, TS, CB
		 1 x 8 x 12' Enhance Basics	XX010812ES01	CS, BD, SD
1" x 12" Fascia Board <i>Actual dimensions:</i> Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	 1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12' Transcend Lineage	XX011212TLS01 XX011212TS01 XX011212TS01	RN, CL, BC, JA IM, TT, HG, SR, LR GP, RS, VL	
	 1 x 12 x 12' Transcend Tropicals	XX011212TS01	IM, TT, HG, SR, LR	
	 1 x 12 x 12' Transcend Earth Tones	XX011212TS01	GP, RS, VL	
	 1 x 12 x 12' Select	XX011212SS01	PG, WG, SD, WB, MB	
	 1 x 12 x 12' Enhance Naturals	XX011212ES01	FW, RH, TS, CB	
	 1 x 12 x 12' Enhance Basics	XX011212ES01	CS, BD, SD	
2" Square-Edge Board <i>Actual dimensions:</i> Transcend 2x4: 1.3 in x 3.4 in x 16 ft (33 mm x 86 mm x 487 cm) Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	 2 x 4 x 16' Transcend Tropicals	XX020416TS01	IM, TT, HG, SR, LR	
	 2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20' Transcend Tropicals	XX020612TS01 XX020616TS01 XX020620TS01	IM, TT, HG, SR, LR	
	 2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20' Select	XX020612SS01 XX020616SS01 XX020620SS01	PG, SD, WB, MB	
	 2 x 6 x 12' Enhance Naturals	XX020612ES01	FW, RH, TS, CB	
	 2 x 6 x 16' Enhance Basics	XX020616ES01	CS, BD, SD	
	 2 x 6 x 20' Enhance Basics	XX020620ES01	CS, BD, SD	

XX = COLOR PREFIX

RN Rainier	IM Island Mist	GP Gravel Path	PG Pebble Grey	FW Foggy Wharf	CS Clam Shell
CL Carmel	TT Tiki Torch	RS Rope Swing	WG Winchester Grey	RH Rocky Harbor	BD Beach Dune
BC Biscayne	HG Havana Gold	VL Vintage Lantern	SD Saddle	TS Toasted Sand	SD Saddle
JA Jasper	SR Spiced Rum		WB Woodland Brown	CB Coastal Bluff	WW Wood Grain White
	LR Lava Rock		MB Madeira		

TREX RAILING—three lines, endless possibilities




Please read the system descriptions at the top of each product section so you can choose exactly which railing components you need to complete your design. For additional guidance, the chart below depicts each railing system's components.






- TREX POST COMPONENTS
- TREX SIGNATURE® RAILING
- TREX TRANSCEND® RAILING
- TREX SELECT® RAILING

Trex Post Sleeves, Caps & Skirts

These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM #
1	Post Sleeve Each 4x4 and 6x6 post sleeve fits over a 4x4 pressure treated post or equivalent post mount. <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions] [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	 4" x 4" x 39" Post Sleeve 4" x 4" x 108" Post Sleeve 6" x 6" x 39" Post Sleeve 6" x 6" x 108" Post Sleeve	XX040439APS XX0404108APS WT060639APS WT0606108APS
2a	Post Sleeve Cap Also available with LED lighting. See page 50. <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	 Flat 4" x 4" Post Sleeve Cap Flat 6" x 6" Post Sleeve Cap	PXXSQCAP4X4 PWTSQCAP6X6
2b	Post Sleeve Skirt <i>Dimensions are nominals. See below for actuals and metrics.</i> [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	 4" x 4" Post Sleeve Skirt 6" x 6" Post Sleeve Skirt	PXXSKIRT4X4 PWTSKIRT6X6

ACCESSORIES	COMPONENT	DESCRIPTION	ITEM #
	Surface Mount Post For use with 4x4 composite post sleeve. <i>Actual external dimensions of insert:</i> 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm) 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	 Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box)	ALPOSTMOUNT36
		 Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box)	ALPOSTMOUNT42
	Joist Mount Post For use with 4x4 composite post sleeve. <i>Actual external dimensions of insert:</i> 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	 Aluminum Joist Mount Post for use with all Trex railing heights (1/box)	CRJMNTPOST63

XX = COLOR PREFIX

- WT Classic White
- BK Charcoal Black
- GP Gravel Path
- RS Rope Swing
- TH Tree House
- VL Vintage Lantern

Trex Signature® Railing

Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail kit (step 3) and infill panel (step 4) if needed.

STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
1+2	Aluminum Posts Can only be used within the Trex Signature line. Trex Signature aluminum posts fulfill steps 1 & 2. If using composite post sleeves, refer to page 45.			
	2.5" x 2.5" x 37" Aluminum Post—Horizontal 2.5" x 2.5" x 43" Aluminum Post—Horizontal 2.5" x 2.5" x 53" Aluminum Post—Stair <i>Comes with cap and skirt.</i>	XXAL252537RCAP XXAL252543RCAP XXAL252553RCAP	IRC Aluminum Mounting Plate & Hardware <i>For use with all Trex 2.5" Surface Mount Aluminum Posts.</i> Concrete Post Mount Kit	ALPOSTHWDECK ALPOSTHWCONC
	2.5" x 2.5" x 36" Crossover Post—Horizontal 2.5" x 2.5" x 42" Crossover Post—Horizontal <i>Comes with skirt.</i>	XXAL252536RCCP XXAL252542RCCP	2.5" x 2.5" x 63" Aluminum Joist Mount Post <i>Comes with cap and skirt.</i> Trex Signature Fascia Mount Kit - wood framing <i>For use with Joist Mount Trex Signature Railing Post only.</i>	XXJMNTPOST63 XXFMNTWOOD
2.5" x 2.5" x 37" Line Post with Premounted Brackets 2.5" x 2.5" x 37" End Post with Premounted Brackets 2.5" x 2.5" x 37" Corner Post with Premounted Brackets 2.5" x 2.5" x 43" Line Post with Premounted Brackets 2.5" x 2.5" x 43" End Post with Premounted Brackets 2.5" x 2.5" x 43" Corner Post with Premounted Brackets <i>Comes with cap and skirt.</i>	BKAL252537RCAPLINE BKAL252537RCAPEND BKAL252537RCAPCNR BKAL252543RCAPLINE BKAL252543RCAPEND BKAL252543RCAPCNR	<i>Dimensions are nominals. See below for actuals and metrics.</i> [2.5 in x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] [2.5 in x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] [2.5 in x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] [2.5 in x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] [2.5 in x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] [2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm) actual dimensions]		


STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
3	Rail & Baluster Kit <i>(includes top rail, bottom rail, balusters and mounting and support hardware)</i> <i>Available in WT, BZ, and BK.</i>			
	6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Stair 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Stair	BKAR0636HRK BKAR0636SRK BKAR0836HRK BKAR0836SRK	6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Stair	XXAS0642HRK XXAS0642SRK XXAS0842HRK XXAS0842SRK
	6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Stair 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Stair	BKAR0642HRK BKAR0642SRK BKAR0842HRK BKAR0842SRK	4' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Horizontal 6' x 36" Assembled Panel (Square)—Stair 8' x 36" Assembled Panel (Square)—Horizontal 8' x 36" Assembled Panel (Square)—Stair 4' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Horizontal 6' x 42" Assembled Panel (Square)—Stair 8' x 42" Assembled Panel (Square)—Horizontal 8' x 42" Assembled Panel (Square)—Stair	BKAS0436HRPNL BKAS0636HRPNL BKAS0636SRPNL BKAS0836HRPNL BKAS0836SRPNL BKAS0442HRPNL BKAS0642HRPNL BKAS0642SRPNL BKAS0842HRPNL BKAS0842SRPNL
6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair	XXAS0636HRK XXAS0636SRK XXAS0836HRK XXAS0836SRK	<i>Does not include hardware. Assembled Panels available in BK.</i>		


STEP	DESCRIPTION	ITEM #	DESCRIPTION	ITEM #
3	Rod Rail Kit <i>(includes top rail, bottom rail, rods and mounting and support hardware)</i>			
	6' x 36" Black Rails & Platinum Rods Kit—Horizontal 6' x 36" Black Rails & Platinum Rods Kit—Stair 8' x 36" Black Rails & Platinum Rods Kit—Horizontal 8' x 36" Black Rails & Platinum Rods Kit—Stair	BKPLROD0636HRK BKPLROD0636SRK BKPLROD0836HRK BKPLROD0836SRK	6' x 42" Black Rails & Black Rods Kit—Horizontal 6' x 42" Black Rails & Black Rods Kit—Stair 8' x 42" Black Rails & Black Rods Kit—Horizontal 8' x 42" Black Rails & Black Rods Kit—Stair	BKBKROD0642HRK BKBKROD0642SRK BKBKROD0842HRK BKBKROD0842SRK
	6' x 36" Bronze Rails & Platinum Rods Kit—Horizontal 6' x 36" Bronze Rails & Platinum Rods Kit—Stair 8' x 36" Bronze Rails & Platinum Rods Kit—Horizontal 8' x 36" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0636HRK BZPLROD0636SRK BZPLROD0836HRK BZPLROD0836SRK	36" Rod Rail Vertical Kit—Horizontal 36" Rod Rail Vertical Kit—Stair 42" Rod Rail Vertical Kit—Horizontal 42" Rod Rail Vertical Kit—Stair <i>Use as an accessory for cut rod rail sections.</i> <i>Available in BK and PL.</i>	XX36RODHVERTK XX36RODSVERTK XX42RODHVERTK XX42RODSVERTK
6' x 36" Black Rails & Black Rods Kit—Horizontal 6' x 36" Black Rails & Black Rods Kit—Stair 8' x 36" Black Rails & Black Rods Kit—Horizontal 8' x 36" Black Rails & Black Rods Kit—Stair	BKBKROD0636HRK BKBKROD0636SRK BKBKROD0836HRK BKBKROD0836SRK	<i>Dimensions are nominals. See below for actuals and metrics.</i> [4' x 36": 48 in x 36 in (122 cm x 914 mm) actual dimensions] [4' x 42": 48 in x 42 in (122 cm x 106cm) actual dimensions] [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]		
6' x 42" Black Rails & Platinum Rods Kit—Horizontal 6' x 42" Black Rails & Platinum Rods Kit—Stair 8' x 42" Black Rails & Platinum Rods Kit—Horizontal 8' x 42" Black Rails & Platinum Rods Kit—Stair	BKPLROD0642HRK BKPLROD0642SRK BKPLROD0842HRK BKPLROD0842SRK			
6' x 42" Bronze Rails & Platinum Rods Kit—Horizontal 6' x 42" Bronze Rails & Platinum Rods Kit—Stair 8' x 42" Bronze Rails & Platinum Rods Kit—Horizontal 8' x 42" Bronze Rails & Platinum Rods Kit—Stair	BZPLROD0642HRK BZPLROD0642SRK BZPLROD0842HRK BZPLROD0842SRK			




XX = COLOR PREFIX



WT Classic White BZ Bronze BK Charcoal Black PL Platinum

STEP	COMPONENT	DESCRIPTION	ITEM #	
3	Mesh Rail Kit <i>(includes top rail, bottom rail, foot block, verticals, anti-rattle gaskets, hardware and bracket pack)</i> <i>Available in BK and BZ. Mesh infill sold separately.</i>		6' x 36" Mesh Railing Kit—Horizontal	XXA0636PNLHRK
			6' x 36" Mesh Railing Kit—Stair	XXA0636PNLSRK
			8' x 36" Mesh Railing Kit—Horizontal	XXA0836PNLHRK
			8' x 36" Mesh Railing Kit—Stair	XXA0836PNLSRK
			6' x 42" Mesh Railing Kit—Horizontal	XXA0642PNLHRK
			6' x 42" Mesh Railing Kit—Stair	XXA0642PNLSRK
			8' x 42" Mesh Railing Kit—Horizontal	XXA0842PNLHRK
			8' x 42" Mesh Railing Kit—Stair	XXA0842PNLSRK
			36" Mesh Railing Vertical Kit—Horizontal	XX36MSHHVERTK
			36" Mesh Railing Vertical Kit—Stair	XX36MSHSVERTK
42" Mesh Railing Vertical Kit—Horizontal	XX42MSHHVERTK			
42" Mesh Railing Vertical Kit—Stair	XX42MSHSVERTK			
<i>Use as an accessory for cut mesh railing sections.</i>				
<i>Dimensions are nominals. See below for actuals and metrics.</i> [6' x 36": 72 in x 36 in (182 cm x 914 mm) actual dimensions] [8' x 36": 96 in x 36 in (243 cm x 914 mm) actual dimensions] [6' x 42": 72 in x 42 in (182 cm x 106 cm) actual dimensions] [8' x 42": 96 in x 42 in (243 cm x 106 cm) actual dimensions]				

3	Glass Rail Kit <i>(includes top rail, bottom rail, foot block, verticals, hardware and bracket pack)</i> <i>Available in BK and WT. Glass infill sold separately. Visit glass.trex.com to order custom glass panels to complete your build</i>		6' Glass Railing Kit—Horizontal	XXA06HGLRK
			<i>Dimension above is nominal. See below for actual and metric.</i> [6': 72 in (182 cm) actual dimension]	

4	Mesh Panel <i>(includes stainless steel mesh panel)</i> For use with Trex Signature Mesh Rail Kit.		6' x 36" Stainless Steel Mesh Panel—Horizontal	SSMESH0636HZ
			8' x 36" Stainless Steel Mesh Panel—Horizontal	SSMESH0836HZ
			8' x 42" Stainless Steel Mesh Panel—Horizontal	SSMESH0842HZ
			Universal 316 Stainless Steel Mesh Panel—Stair	SSMESHUNIVST
			<i>Dimensions are nominals. See below for actuals and metrics.</i> [6' x 36": 64 in x 32.375 in (162 cm x 822 mm) actual dimensions] [8' x 36": 88 in x 32.375 in (223 cm x 822 mm) actual dimensions] [8' x 42": 88 in x 38.375 in (223 cm x 974 mm) actual dimensions] [Universal 316: 108.1875 in x 36.1875 in (274 cm x 919 mm) actual dimensions]	

4	Glass Panel For use with Trex Signature Glass Rail Kit. Visit glass.trex.com to order custom glass panels to complete your build.	for 36" Rail Height—Horizontal
		for 42" Rail Height—Horizontal



ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Signature Bracket Template—Horizontal (36" and 42") - Composite Sleeve	SIGTEMP4X4SLEEVE	Cocktail Rail Bracket (10/pack)	XXCTBKAL10PK
	Signature Bracket Template—Horizontal (36" and 42") - 2.5" Aluminum Post	SIGTEMPIRCPOST	Tabless Fixed Bracket—Horizontal (4/pack)	XXFHBKALPNL
	Aluminum Foot Block Extended Aluminum Foot Block	XXALFTBLK XXAL08FTBLK	Fixed Bracket—Stair (4/pack)	XXFSBKAL
			Swivel Bracket—Horizontal (2/pack—1 top, 1 bottom)	XXSWHBKAL
			Swivel Bracket—Stair (2/pack—1 top, 1 bottom)	XXSWSBKAL
			2.5" Crossover Bracket—Horizontal (1/pack)	XX25FHCBKAL
			90° Crossover Bracket—Horizontal (1/pack)	XX90FHCBKAL
			2.5" Swivel Crossover Bracket—Stair (1/pack)	XX25RCSWSCBKAL
Compound Swivel Bracket (2/pack—1 top, 1 bottom)	XXCPDSWBKAL			
			Rail End Cap	XXXOVERENDCAP
			Touch-up Pen	XXTOUCHUPPEN

XX = COLOR PREFIX

WT Classic White BZ Bronze BK Charcoal Black

Trex Transcend® Railing

Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail kit (step 3).
OR choose each component individually for a custom design (steps 3a, 3b, 4 & 5).

STEP	COMPONENT	DESCRIPTION	ITEM #	COLOR																			
3	Rail & Square Composite Baluster Kit <i>(includes Crown top rail, Universal bottom rail, square composite balusters, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Color option indicates rails and balusters.</i>		6' x 36" Rail & Baluster Kit—Horizontal	XX0636HRK	WT, BK, VL																		
			6' x 36" Rail & Baluster Kit—Stair	WT0636SRK																			
			8' x 36" Rail & Baluster Kit—Horizontal	XX0836HRK	WT, BK, VL																		
			8' x 36" Rail & Baluster Kit—Stair	XX0836SRK																			
3	Rail & Round Aluminum Baluster Kit <i>(includes Crown top rail, Universal bottom rail, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Color option indicates rails. Round aluminum balusters come in BK.</i>		6' x 36" Rail & Baluster Kit—Horizontal	XXRD0636HRK	WT, BK, VL																		
			6' x 36" Rail & Baluster Kit—Stair	XXRD0836HRK																			
			8' x 36" Rail & Baluster Kit—Horizontal	XXRD0836SRK	WT, BK, VL																		
			8' x 36" Rail & Baluster Kit—Stair	XXRD0836SRK																			
3	Cocktail Rail & Round Aluminum Baluster Kit <i>(includes Universal top/bottom rails, round aluminum balusters, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Round aluminum balusters come in BK.</i> <i>Only Trex Transcend and Select deck boards can be used for cocktail rail application.</i>		6' x 36" Cocktail Rail & Baluster Kit—Horizontal	WTRD0636HRKCKTL	WT																		
			6' x 36" Cocktail Rail & Baluster Kit—Stair	WTRD0836SRKCKTL																			
			8' x 36" Cocktail Rail & Baluster Kit—Horizontal	WTRD0836HRKCKTL	WT																		
			8' x 36" Cocktail Rail & Baluster Kit—Stair	WTRD0836SRKCKTL																			
<p><i>Dimensions are nominals. See below for actuals and metrics.</i></p> <p>6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 1066 mm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 1066 mm)</p>																							
3a	Top Rail Universal top rail is used for cocktail rail applications.		6' Crown Top Rail	XXCROWNTR06	WT, BK, GP, RS, TH, VL																		
			8' Crown Top Rail	XXCROWNTR08																			
			6' Universal Top/Bottom Rail	XXUNIVTBR06	WT, BK, GP, RS, TH, VL																		
			8' Universal Top/Bottom Rail	XXUNIVTBR08																			
3b	Bottom Rail		6' Universal Top/Bottom Rail	XXUNIVTBR06	WT, BK, GP, RS, TH, VL																		
			8' Universal Top/Bottom Rail	XXUNIVTBR08																			
4	Balusters See chart below for number of balusters needed to complete each railing section. <i>Composite balusters are available in WT, BK, GP, RS, TH and VL.</i> <i>Aluminum balusters are available in WT, BZ and BK.</i>		Square Composite Balusters for 36" Rail Height (16/pack)	XX020230SBK	WT, BK, GP, RS, TH, VL																		
			Square Composite Balusters for 42" Rail Height (16/pack)	XX020236SBK																			
			Round Aluminum Balusters for 36" Rail Height (20/pack)	XXTA30RBK	WT, BZ, BK																		
			Round Aluminum Balusters for 42" Rail Height (20/pack)	XXTA36RBK																			
<p><i>Dimensions are nominals. See below for actuals and metrics.</i></p> <p>6' Rail: 67.5 in (171 cm) 8' Rail: 91.5 in (232 cm) Composite 36" Baluster: 1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) Composite 42" Baluster: 1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) Aluminum 36" Baluster: .75 in x 30.25 in (19 mm x 768 mm) Aluminum 42" Baluster: .75 in x 36.25 in (19 mm x 920 mm)</p>																							
<table border="1"> <thead> <tr> <th>BALUSTER</th> <th>ORIENTATION</th> <th>6' SECTION</th> <th>8' SECTION</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Square composite</td> <td>Horizontal</td> <td>13</td> <td>18</td> </tr> <tr> <td>Stair</td> <td>11</td> <td>15</td> </tr> <tr> <td rowspan="2">Round aluminum</td> <td>Horizontal</td> <td>15</td> <td>20</td> </tr> <tr> <td>Stair</td> <td>12</td> <td>16</td> </tr> </tbody> </table>						BALUSTER	ORIENTATION	6' SECTION	8' SECTION	Square composite	Horizontal	13	18	Stair	11	15	Round aluminum	Horizontal	15	20	Stair	12	16
BALUSTER	ORIENTATION	6' SECTION	8' SECTION																				
Square composite	Horizontal	13	18																				
	Stair	11	15																				
Round aluminum	Horizontal	15	20																				
	Stair	12	16																				

XX = COLOR PREFIX

Composite Colors



WT Classic White	GP Gravel Path	TH Tree House
BK Charcoal Black	RS Rope Swing	VL Vintage Lantern

Aluminum Colors

WT Classic White	BK Charcoal Black
BZ Bronze	

STEP	COMPONENT	DESCRIPTION	ITEM #	COLOR
5	Accessory Infill Kit <i>(includes, baluster spacers, adjustable foot block and mounting hardware)</i> <i>Dimensions are nominals. See below for actuals and metrics.</i> 6': 67.5 in (171 cm) 8': 91.5 in (232 cm)	6' Accessory Infill Kit for Square Composite Balusters—Horizontal	XXSQHIK06	
		6' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQSIK06	WT, BK, GP, RS, TH, VL
		8' Accessory Infill Kit for Square Composite Balusters—Horizontal	XXSQHIK08	
		8' Accessory Infill Kit for Square Composite Balusters—Stair	XXSQSIK08	
		6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK06	
		6' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK06	WT, BK, GP, RS, TH, VL
		8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal	XXRDHIK08	
		8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDSIK08	
		6' Glass Panel Accessory Infill Kit	XXGLIK06	WT, BK, GP, RS, TH, VL



ACCESSORIES	COMPONENT	ITEM #	COMPONENT	ITEM #
	Transcend Bracket Template—Horizontal (36" and 42") - Composite Sleeve	TSCTEMP4X4SLEEVE	Mounting Hardware for Cut Rails—Horizontal	XXHZACCYKIT
			Mounting Hardware for Cut Rails—Stair	XXSTACCYKIT
			Transcend RSB Bracket Pack—Horizontal (24/box)	TSHBRACKET
			Transcend RSB Bracket Pack—Stair (24/box)	TSSBRACKET
	Foot Block	XXFTBLKPC	0 Degree Rail Gasket Pack—Horizontal	XX00HGASK
			0 Degree Rail Gasket Pack—Stair	XX00SGASK
			22.5 Degree Gasket Pack	XX22HGASK
			45 Degree Birdsmouth Gasket Pack (for 4x4)	XX45RSBADAPK
			45 Degree Gasket Pack (for 6x6)	WT45HGASK

Trex Select® Railing









Trex Select is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail kit (step 3).

STEP	COMPONENT	DESCRIPTION	ITEM #
3	Rail & Round Aluminum Baluster Kit <i>(includes top rail, bottom rail, round aluminum balusters, adjustable foot block and hardware pack)</i> <i>Available in WT rails with aluminum balusters in BK.</i> <i>Dimensions are nominals. See below for actuals and metrics.</i> 6' x 36": 67.5 in x 36 in (171 cm x 914 mm) 6' x 42": 67.5 in x 42 in (171 cm x 106 cm) 8' x 36": 91.5 in x 36 in (232 cm x 914 mm) 8' x 42": 91.5 in x 42 in (232 cm x 106 cm)	6' x 36" Rail & Baluster Kit—Horizontal	WTRD0636HSELK
		6' x 36" Rail & Baluster Kit—Stair	WTRD0636SSELK
		8' x 36" Rail & Baluster Kit—Horizontal	WTRD0836HSELK
		8' x 36" Rail & Baluster Kit—Stair	WTRD0836SSELK
		6' x 42" Rail & Baluster Kit—Horizontal	WTRD0642HSELK
		8' x 42" Rail & Baluster Kit—Horizontal	WTRD0842HSELK
		8' x 42" Rail & Baluster Kit—Stair	WTRD0842SSELK
		Mounting Hardware for Cut Rails—Horizontal (10 kits/box)	BKENHZBKT
		Mounting Hardware for Cut Rails—Stair (10 kits/box)	BKENSTBKT
		Trex Select 8' Aluminum Rail Stiffener	SELALRAILSTIFFENER

XX = COLOR PREFIX

Composite Colors



WT Classic White	GP Gravel Path	TH Tree House
BK Charcoal Black	RS Rope Swing	VL Vintage Lantern

COMPONENT & DESCRIPTION	ITEM #
<p>Flat Post Cap Light</p> <ul style="list-style-type: none"> » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4 in Composite Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead 	 <p>BKSQLEDCAP4X4C WTSQLEDCAP4X4C THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C RSSQLEDCAP4X4C</p>
<p>Aluminum Post Cap Light</p> <ul style="list-style-type: none"> » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] Use with Trex 2.5 in Aluminum Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead 	 <p>BKALCAPLED25 BZALCAPLED25 WTALCAPLED25</p>
<p>Aluminum Deck Rail Light</p> <ul style="list-style-type: none"> » LED Deck Rail Light [2.75 in (69 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead 	 <p>BKLAMPLEDC BZLAMPLEDC WTLAMPLEDC</p>
<p>Aluminum Wedge Deck Rail Light</p> <ul style="list-style-type: none"> » LED Wedge Deck Rail Light [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts » 5.5 ft (1.67 m) Male LightHub® Lead 	 <p>BKALPOSTLAMPLED BZALPOSTLAMPLED WTALPOSTLAMPLED</p>
<p>Aluminum Stair Riser Light</p> <ul style="list-style-type: none"> » 4 LED Riser Lights [1.25 in (31 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead 	 <p>BKRISERLED4PKC BZRISERLED4PKC WTRISERLED4PKC</p>
<p>Recessed Deck Light</p> <ul style="list-style-type: none"> » 4 LED Recessed Lights [1 in (25 mm) OD] » 5.5 ft (1.67 m) Male LightHub® Lead 	 <p>RECESSLED4PKC</p>
ACCESSORIES	ITEM #
<p>Transformer with Timer</p> <ul style="list-style-type: none"> » Output Voltage: 12VDC » Output Power: 100W or 30W » Output Current: 8.3A or 2.5A » Photo-Activated Timer » 20 ft (6.09 m) LightHub® Wire Extension Cable 	 <p>8.3A, 100W: DIMMABLE 83DLTRANSFORMERCC 2.5A, 30W: 25DLTRANSFORMER</p>
<p>Multi-zone Transformer Adapter</p>	 <p>DL5TF5PLIT1PK</p>
<p>Dimmer</p> <ul style="list-style-type: none"> » Single Channel with Remote 	 <p>DLDIMMER</p>
<p>Wifi Lighting Controller</p>	 <p>DLWiFiC</p>
<p>Forstner Bit</p> <ul style="list-style-type: none"> » Pack of 6 » 1 in (25 mm) 	 <p>DLBIT6PK</p>
<p>LightHub® Accessories</p> <ul style="list-style-type: none"> » 3-Way Splitter » 6-Way Splitter » 5 ft (1.52 m) Wire Extension Cable » 10 ft (3.04 m) Wire Extension Cable » 20 ft (6.09 m) Wire Extension Cable » 40 ft (12.19 m) Wire Extension Cable » 60 ft (18.28 m) Wire Extension Cable » Female to Female Adapter 	 <p>DL3SPLIT6PK DL6SPLIT4PK DL5FTWR4PK DL10FTWR4PK DL20FTWR4PK DL40FTWR2PK DL60FTWR1PK DLFADAP6PK</p>

Trex Aluminum ADA-Compliant Handrail

COMPONENT	ITEM #
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8
Wall Return 90°	XXALADA90WR2G
Wall Mount	XXALADAWMNT2G
Corner Mount	XXALADAICORNER2G
Post Return ("Candy Cane")	XXALADA180CCANE
5° Elbow	XXALADA05ELB
31° Elbow	XXALADA31ELB
34° Elbow	XXALADA34ELB
36° Elbow	XXALADA36ELB
90° Inside/Outside Elbow	XXALADA90ELB2G
Adjustable ADA Elbow	XXALADAADJELB
Straight 4 in (101 mm) Internal Connector	XXALINTCONN
Inline Rail Termination Adapter	XXALADAINLINE
Rail End Cap	XXALADACAP
Aluminum Collar	XXALADACL

All Trex ADA handrail components are made of powder-coated aluminum. For detailed installation instructions, visit trex.com/2022



Trex Aluminum Gates

COMPONENT	DESCRIPTION	ITEM #
Gate Rail Kit <i>Available in all aluminum colors (WT, BZ and BK). When ordering, refer to prefix codes at the bottom of this page.</i>	36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening [Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]	XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE
Hardware Pack Hardware for attachment to wood post with composite sleeve or aluminum posts	2 Adjustable Self-Closing Hinges 1 Locking Hasp With Keys	BKGATEHW



Trex Hideaway® Hidden Fastening System

COMPONENT	DESCRIPTION	ITEM #
Universal Fastener (glass-filled nylon)	 50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002
Universal Starter Clip	 400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Router Bit	 Router Bit	ROUTBIT
Universal Fastener Installation Tool	 Universal Fastener Installation Tool	ONESTEPTL



XX = COLOR PREFIX

WT Classic White

BZ Bronze

BK Charcoal Black