



TREX® RAILING COVID-19 CLEANING RECOMMENDATIONS

In the wake of the COVID-19 virus, the EPA has established a list of disinfectants (List N) that meet their criteria for use against SARS-CoV-2, the cause of COVID-19.

(<https://www.epa.gov/pesticide-registration/list-n-disinfectants-use-against-sars-cov-2>)

The following products listed below meet EPA's criteria, and in addition have been tested and should not damage Trex® Railing products (including Trex® Cocktail and Traditional top rails) when used appropriately.

For Trex early-generation railing (non-shelled) product, these same products listed below can be used, but in some cases, may slightly lighten the surface.

When using an EPA-registered disinfectant, follow the label directions for effective use. Make sure to follow the contact time, which is the amount of time the surface should be visibly wet. This can be located on the link above.

Trex® highly recommends to periodically clean all railing types with warm water and a sponge to help prevent cleaning residue accumulation.

Contact 1-800-BUY-TREX (1-800-289-8739) and speak to a Customer Loyalty Advocate if you have more questions.

Recommended Cleaners/Disinfectants:	
Clorox® Commercial Solutions® Clorox® Disinfecting Spray	EPA Reg. No. 67619-21
Clorox® Disinfecting Wipes	EPA Reg. No. 5813-79
Lysol® Disinfecting Wipes (all scents)	EPA Reg. No. 777-114

Clorox® is a registered trademark of The Clorox Company

Lysol® is a registered trademark of Reckitt Benckiser